

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 2 1962

Returned to applicant for correction.....

Corrected application filed.....

Map filed NOV 2 1962 under 20825

The applicant S. Toby Lamuraglia, Ernest L. Hawkins and Charles Perri
of Las Vegas, County of Clark,
State of Nevada, hereby make application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Las Vegas Artesian Basin (Underground source)
Name of stream, lake or other source.
2. The amount of water applied for is 0.6 second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet.....acre-feet
3. The water to be used for Quasi-municipal (apartments, store buildings, service station and Domestic use)
Use for irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated).....
 - (b) Stockwater (state number and kinds of animals to be watered).....
 - (c) Other use (describe fully under "No. 11. Remarks").....
 - (d) Power:
 - (1) Horsepower developed.....
 - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 11, Town-
ship 20 South, Range 60 East, M.D.B.&M., or at a point from which the
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
Northeast corner of said Section 11 bears North 81°43'39" East a
It should be stated. distance of 1030.06 feet.
6. Place of use N $\frac{1}{2}$ NE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 11, Township 20 South, Range 60 East,
Describe by legal subdivision, if on unsurveyed land it should be so stated.
M.D.B.&M.
7. Use will begin about January 1 and end about December 31, of each year.
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans
and specifications of your diversion or storage works.) Drilled well, 8 inch casing, with
miscellaneous size pipes to point of use.
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$6,000.00
10. Estimated time required to construct works.....60 days
11. Remarks.....The water from this well, in conjunction with the water
from Well No. 2, will provide water for the maintenance of
approximately 192 apartment units, a swimming pool, approximately
10 store buildings and a service station.

Applicant.....TOBY LAMURAGLIA
ERNEST L. HAWKINS
CHARLES PERRI

By.....s/ L. E. Tyson
L. E. Tyson - State Water-Right Surveyor

Compared.....lv/hs.....hs/ns

.....APPROVAL..... OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or municipality engaged in furnishing water and is limited to what the well will produce but not to exceed 0.10 c.f.s. A meter must be installed in the discharge pipe line, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening, and an air line for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030; therefore, the State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 20.1 mg annually from Permits 20825 and 20826 combined.

Actual construction work shall begin on or before.....January 2, 1965
Proof of commencement of work shall be filed before.....February 2, 1965
Work must be prosecuted with reasonable diligence and be completed on or before.....January 2, 1966
Proof of completion of work shall be filed before.....February 2, 1966
Application of water to beneficial use shall be made on or before.....January 2, 1967
Proof of the application of water to beneficial use shall be filed on or before.....February 2, 1967
Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....
Completion of work filed.....
Proof of beneficial use filed.....

WITNESS MY HAND AND SEAL this.....2nd.....day

Cultural map filed.....

of.....July....., 1964

Certificate No. MAR 9 1966
Recorded.....BK.....Page.....
APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
County Records

ELMO J. DeRICCO
State Engineer.

STATE ENGINEER

By.....
Assistant State Engineer